

# Wheelchairs

## “W” - APL

### AADL Program Approved Product List



**Discounts & Prices Effective  
July 1, 2011 to June 30, 2012**

<i>Index</i>	<i>Page</i>
Pediatric .....	APL-W1
Adult .....	APL-W2
Heavy Duty .....	APL-W4
Reclines .....	APL-W5
Tilt-In-Space .....	APL-W6
Pediatric Power .....	APL-W8
Adult Power .....	APL-W9

Equipment can only be ordered through the AADL Office.

Wheelchairs provided from the recycle pool may not be listed on the current Approved Products List.

AADL Program - Approved Products List - Wheelchairs 2010 - 2011

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
1. All wheelchairs have 250 lb. max weight capacity - unless otherwise stated						
<b>WHEELCHAIRS - PEDIATRIC</b>						
<b>W131</b>	<b>Sunrise Quickie LXi: - Kids</b> (blue or black) (265 lbs) Width = 12-20" (1" increments) Depth = 12-18" (1" increments)	A	B	Clinical Justification Required on 1251 for angle adjustable back	10%	1-Jan-2011
<b>W138</b>	<b>Sunrise Zippie GS –</b> (blue or black, folding or rigid) (150 lbs max) Width = 10-16" (1" increments) Seat Depth = 10-18" (1" increments)	A	B	Clinical Justification Required on 1251 for extra long and / or extra large frame Standard or Reverse Configuration	10%	1-Jan-2011
<b>W135</b>	<b>Sunrise Quickie Kidz</b> (blue or black) (150 lbs max) Width = 10-14" (1" increments) Depth = 8-14" (1" increments) Rigid Frame	A	B	Standard or Reverse Configuration	10%	1-Jan-2011
<b>W137</b>	<b>Sunrise Quickie 2 Kids</b> (blue or black) (150 lbs max) Width = 11-20" (1" increments) Depth = 10-20" (1" increments)	B	B	Straight Frame Only Clinical Justification Required on 1251 for angle adjustable back	10%	1-Jan-2011
<b>W671</b>	<b>Invacare 9000 Jymni</b> (black only) (125 lbs max) Width = 10-16" (2" increments) Depth = 10-14" (2" increments)	A	A		10%	2-Mar-2009
<b>W637</b>	<b>Invacare Comet (No tilt)</b> (black only) (150 lbs max) Width = 10-16" (1" increments) Depth = 7-16" (1" increments) Rigid Frame	B	C	Subject to Availability	10%	1-Dec-2009

**AADL Program - Approved Products List - Wheelchairs 2010 - 2011**

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>WHEELCHAIR - ADULT</b>						
1. All wheelchairs have 250 lb. max weight capacity - unless otherwise stated 2. No Heavy Duty Packages on Light weight wheelchairs						
<b>W631</b>	<b>Invacare Patriot (black only)</b> Width = 14,16, 17, 18 and 20" Depth = 16 or 18"	A	A	Subject to availability ; Clinical Justification Required on 1251 for angle adjustable back	10%	1-Dec-2009
<b>W649</b>	<b>Invacare Patriot SPL - Super Low (black only)</b> Width = 14,16, 17, 18 and 20" Depth = 16 or 18"	A	A	Subject to Availability Clinical Justification Required on 1251 for angle adjustable back or super low	10%	1-Dec-2009
<b>W888</b>	<b>Invacare Myon (275 lbs max)</b> Width =15"-20" (1" increments) Depths=16'-18" (1" increments)	A	A	Clinical Justification Required on 1251 for angle adjustable back or super low comparable substitute Patriot	10%	4-Apr-2011
<b>W693</b>	<b>Invacare 9000 XT Adult (black or midnight blue)</b> Width = 14-18" (1" increments) Depth = 16-18" (1" increments)	A	A	Clinical Justification Required on 1251 for angle adjustable back No adjustable caster journal or offset axle bracket	10%	1-Dec-2009
<b>W694</b>	<b>Invacare 9000 XT Hemi (black or midnight blue)</b> Width = 14-18" (1" increments) Depth = 16-18" (1" increments)	A	A	Clinical Justification Required on 1251 for angle adjustable back and / or Super Low No adjustable caster journal or offset axle bracket	10%	1-Dec-2009
<b>W699</b>	<b>Invacare 9000 XT Extra Wide Adult (black or midnight blue)</b> Width = 19,20,22" (1" increments) Depth = 16-18" (1" increments)	A	A	Clinical Justification Required on 1251 for angle adjustable back and / or Super Low No adjustable caster journal or offset axle bracket	10%	1-Dec-2009
<b>W273</b>	<b>Maple Leaf NRG+ Gold (black)</b> Width = 14-20" (1" increments) Depth = 14 -20" (1" increments)	A	A	No Heavy Duty Package Clinical Justification Required on 1251 for angle adjustable back	10%	1-Apr-2011
<b>W274</b>	<b>Maple Leaf NRG+ (black)</b> Width = 14-20" (1" increments) Depth = 14-20" (1" increments)	A	A	Clinical Justification Required on 1251 for angle adjustable back	10%	1-Apr-2011
<b>W270</b>	<b>Maple Leaf Swift (Black only)</b> Width = 15-18" (1" increments) Depth = 16-18" (1" increments)	A	A	No Heavy Duty Package	10%	1-Apr-2011
<b>W130</b>	<b>Sunrise Breezy 600 - Adult (blue or black)</b> Width = 14-20" (1" increments) Depth = 16" and 18"	A	A	Clinical Justification Required on 1251 for angle adjustable back or Ultra Hemi	10%	1-Jan-2010

**AADL Program - Approved Products List - Wheelchairs 2010 - 2011**

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>W148</b>	<b>Sunrise Breezy RubiX</b> (matt blue) Width = 15 - 20.5" (1" increments) Depth = 16" - 19"	A	A	No 12" Wheels	10%	30-Apr-2010
<b>W328</b>	<b>Invacare Compass XE</b> (black) Width 12 - 20" (1" increments) Depth 12 - 20" (1 increment)	C	C	No Reclining Back	10%	3-Feb-2010
<b>W275</b>	<b>Maple Leaf EZride</b> (black or blue) Width 14 - 18" (1" increments) Depth 14 - 18" (1" increments)	B	B	No Heavy Duty Package Clinical justification for Xtra-Low and / or for angle adjustable back	10%	1-Apr-2011
<b>W127</b>	<b>Sunrise Quickie LXi: - Adult</b> (blue or black) (265 lbs) Width = 12-20" (1" increments) Depth = 12-20" (1" increments)	A	B	Clinical Justification Required on 1251 for angle adjustable back	10%	1-Jan-2011
<b>W133</b>	<b>Sunrise Quickie GP/GPV</b> (blue or black) Width = 12-22" (1" increments) Depth = 12-22" (1" increments) Rigid Frame	A	B		10%	1-Jan-2011
<b>W133</b>	<b>Sunrise Quickie GP Swing - Away</b> (blue or black) Width = 12-22" (1" increments) Depth = 12-22" (1" increments) Rigid Frame	A	B		10%	1-Jan-2011
<b>W147</b>	<b>Ki Mobility Catalyst 5</b> (black or blue) Width = 14-20" (1" increments) Depth = 14-20" (1" increments)	B	B		10%	1-Feb-2010
<b>W146</b>	<b>Pride Litestream XF</b> (black or blue) Width = 14-21" (1" increments) Depth = 16-20" (1" increments)	B	B	Available Hemi Frame Option No Heavy Duty Package	10%	March-11
<b>W122</b>	<b>Sunrise Quickie 2</b> (blue or black, straight frame) Width = 11 - 20" (1" increments) Depth = 10 - 20" (1" increments)	B	B	Clinical Justification Required on 1251 for angle adjustable back Discontinued June 2010	10%	1-Jan-2011
<b>W149</b>	<b>Invacare Crossfire</b> Midnight Blue Width = 14 - 19" (1" increments) Depth = 14 - 19" (1" increments)	C	C	Front Footrest Angle 70 and 80 only	10%	1-Mar-2010
<b>W643</b>	<b>Invacare ProSpin PROX4S</b> (black or blue) Width = 14 - 20" (1" increments) Depth = 14 - 20" (1" increments) Folding only	B	B	Clinical Justification Required on 1251 for angle adjustable back No Frog Legs Suspension	10%	3-Feb-2010
<b>W140</b>	<b>Sunrise Quickie Revolution</b> (blue or black) Width = 14-20" (1" increments) Depth = 14-18" (1" increments)	B	C	Subject to Availability	10%	1-Jan-2010
<b>W327</b>	<b>Sunrise Quickie GT</b> (black or blue) Width 12 - 20" (1" increments) Depth 12 - 20" (1" increments) Rigid Frame	C	C	No Frog Legs Suspension No Flat Free Insert	10%	1-Jan-2011

AADL Program - Approved Products List - Wheelchairs 2010 - 2011

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>WHEELCHAIRS - HEAVY DUTY</b>						
<b>W691</b>	<b>Invacare 9000 XDT</b> (Colbalt Blue) (350 lbs) Width = 16-20" (1" increments), 22" Depth = 16-20" (1" increments)	A	A		10%	1-Dec-2010
<b>W689</b>	<b>Invacare 9000 Topaz</b> 750 lbs (silver vein) Width = 20-30" (2" increments) Depth = 18 or 20"	A	A	Clinical Justification Required on 1251	10%	1-Sep-2009
<b>W272</b>	<b>Maple Leaf Swift (HD 1)</b> (Black only) (350 lbs) Width = 15 - 22" (1" increments) Depth = 15 - 24" (1" increments)	A	A		10%	1-Apr-2011
<b>W272</b>	<b>Maple Leaf Swift (HD 2)</b> (Black only) (450 lbs) Width = 22 - 24" Depth = 15 -24" (1" increments)	A	A		10%	1-Apr-2011
<b>W272</b>	<b>Maple Leaf Swift (HD 3)</b> (Black only) (600 lbs) Width = 24 - 26" (1" increments) Depth = 16 - 24" (1" increments)	A	A		10%	1-Apr-2011
<b>W320</b>	<b>PDG Eclipse 600</b> (black or blue) (600 lbs) Width = 22" and up Depth = 16-22" (1" increments) Rigid Frame	A	A	Clinical Justification Required on 1251	10%	November-08
<b>W848</b>	<b>Sunrise M6 Quickie Bariatric</b> 600 lbs (blue or black) Width = 22-30" (2" increments) Depth = 18-22" (1" increments)	A	A	Clinical Justification Required on 1251	10%	1-Jan-2011

AADL Program - Approved Products List - Wheelchairs 2010 - 2011

AADL CAT #	WHEELCHAIR DESCRIPTION	Child Eligibility	Adult Eligibility	Comments	Discount	Manufacture Date
<b>WHEELCHAIRS - RECLINE</b>						
<b>W671</b>	<b>Invacare 9000 Jymni Recline</b> ( black only) (125 lbs) Width = 10-16" (2" increments) Depth = 10-14" (2" increments)	A	A		10%	2-Mar-2009
<b>W615</b>	<b>Invacare 9000 XT Recliner with Lift Package</b> (colbalt blue or wet black) Width = 14,16,18,19,20,22" Depth = 16-18" (1" increments)	A	A		10%	1-Dec-2010
<b>W276</b>	<b>Maple Leaf NRG+ Recliner</b> (Black only) (250 lbs) Width = 14-24" (1" increments) Depth = 14 - 22" (1" increments)	A	A		10%	1-Apr-2011

**AADL Program - Approved Products List - Wheelchairs 2010 - 2011**

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>Wheelchair TILT-IN-SPACE</b>						
<b>Under 18 years old: Standard Benefit, Clinical justification required, only through Seating Clinic</b>						
<b>18 years and older: Standard Plus (SP) benefit subject to AADL maximum contribution</b>						
<b>W324</b>	<b>Future Mobility Orion II</b> (black or silver)	Yes	SP	Clinical Justification Required on 1251	10%	13-Sep-2010
	Width 15 - 22" (1" increments) Depth 15 - 20" (1" increments)			Standard - Back, Seat Cushion &		
	Optional Width 23 - 24" Optional Depth 21 - 24"			Head Rest		
<b>W074</b>	<b>Invacare Concept 45</b> (black)	Yes	SP	Clinical Justification Required on 1251	10%	1-Mar-2010
	Width = 15 - 20" (1" increments) Depth = 15 - 19" (1" increments)					
	Rigid Frame					
<b>W278</b>	<b>Invacare Compass SPT</b> (wet black)	Yes	SP	Clinical Justification Required on 1251	10%	1-Sep-2009
	Width 14 - 22" (1" increments) Depth 15 - 22" (1" increments)					
<b>W623</b>	<b>Invacare Spree XT</b> (folding tilt) (wet black)	Yes	SP	Clinical Justification Required on 1251	10%	3-Feb-2010
	Width 10 - 18" (1" increments) Depth 12- 20" (1" increments)					
<b>W633</b>	<b>Invacare Orbit</b> (black only) (150 lbs)	Yes	SP	Clinical Justification Required on 1251	10%	1-Sep-2009
	Width = 10-16" (1" increments) Depth = 10-16" (1" increments)					
	Rigid Frame					
<b>W632</b>	<b>Invacare Spree 3G</b> (black only)	Yes	SP	Clinical Justification Required on 1251		3-Feb-2010
	Width 12 - 18" (1" increments) Depth 12 - 19" (1" increments)					
<b>W635</b>	<b>Invacare Solara 3G Tilt</b> (black only)	Yes	SP	Clinical Justification Required on 1251	10%	3-Feb-2010
	Width 14 - 22" (1" increments) Depth 15 - 22" (1" increments)					
<b>W637</b>	<b>Invacare Comet (24P black only)</b> (100 lbs max)	Yes	SP	Subject to Availability	10%	1-Dec-2009
	Width = 10-16" (1" increments) Depth = 7-16" (1" increments)					
	Rigid Frame			standard or reverse configuration		
<b>W277</b>	<b>Maple Leaf Super Tilt</b> (black)	Yes	SP	Clinical Justification Required on 1251	10%	1-Apr-2011
	Width = 12, 14, 15, 16, 17, 18" Depth = 16 - 18" (1" increments)					
	Optional Width 19-24" Optional Depth 19-22"					
	Rigid Frame					
<b>W280</b>	<b>Maple Leaf Super Tilt Rock and Roll</b> (black only)	Yes	SP	Clinical Justification Required on 1251	10%	1-Apr-2011
	Width = 12 - 20" (1 increments) Depth = 16-20" (1" increments)			Justify Athetoid, Chorea or Agitated State		
	Rigid Frame					

**AADL Program - Approved Products List - Wheelchairs 2010 - 2011**

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>W321</b>	<b>PDG Stellar Tilt (Black)</b> Width = 14-20" (1" increments) Depth = 16-22" (1" increments) Optional Width 21 - 22" Rigid Frame	Yes	SP	Clinical Justification Required on 1251   No 12" Wheels	10%	January-09
<b>W329</b>	<b>PDG Stellar Express with Backrest / Headrest (blue shimmer)</b> Width = 14-20" (1" increments) Depth = 17" only	Yes	SP	Standard configured wheelchair No Substitutes - wheels, casters or seating	10%	1-Feb-2010
<b>W322</b>	<b>PDG Bentley (Black)</b> Width = 14-20" (1" increments) Depth = 16-22" (1" increments) Optional Width 21 - 22" Rigid Frame No Long Frame or Rear Floor Jack	Yes	SP	Clinical Justification Required on 1251 Justify Athetoid, Chorea or Agitated State  No 12" wheels	10%	January-09
<b>W323</b>	<b>PDG Bentley Express with Backrest / Headrest (black shimmer)</b> Width = 14-20" (1" increments) Depth = 17" only	Yes	SP	Standard configured wheelchair No Substitutes - wheels, casters or seating	10%	1-Feb-2010
<b>W653</b>	<b>PDG Fuze T50 Express</b> Junior Width = 12 - 15" (1" increments) Depth = 13 - 16" Red Adult Width = 16 - 20" (1" increments) Depth = 15 - 20" Black	YES NO	NO SP	Clinical Justification Required on 1251 Clinical Justification Required on 1251	10%	1-Feb-2010
<b>W129</b>	<b>Sunrise New Zippie TS (blue or black) swingaway frame only (150 lbs max)</b> Width = 10-16" (1" increments) Seat Depth = 13-18" (1" increments) Rigid or Folding Frame	Yes	SP	Clinical Justification Required on 1251  No extra long or extra large frame	10%	1-Jan-2011
<b>W150</b>	<b>Sunrise Quickie Tilt FX</b> Width = 14 - 20" (1" increments) Seat Depth = 15 - 22" (1" increments)	Yes	SP	Clinical Justification Required on 1251	10%	1-Jan-2011
<b>W132</b>	<b>Sunrise Quickie TS (blue or black)</b> Width = 14-20" (1" increments) Seat Depth = 14-22" (1" increments) Rigid Frame	Yes	SP	Clinical Justification Required on 1251  No Contracture Seat Frame	10%	1-Jan-2011
<b>W145</b>	<b>Sunrise Zippie Iris (black or blue opal)</b> Width = 10-18" (1" increments) Seat Depth = 10-18" (1" increments) Rigid Frame	Yes	SP	Clinical Justification Required on 1251  No airless inserts No Contracture Seat Frame	10%	1-Jan-2011
<b>W326</b>	<b>Sunrise Quickie Iris (black or blue)</b> Width 14 - 22" (1" increments) 15 - 22" (1" increments) Rigid Frame	Yes	SP	Clinical Justification Required on 1251  No Contracture Seat Frame	10%	1-Jan-2011

AADL Program - Approved Products List - Wheelchairs 2010 - 2011

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>WHEELCHAIRS POWER - PEDIATRIC</b>						
<b>No Power Tilt or Recline or Headarrays for Pediatric Wheelchairs</b>						
<b>W657</b>	<b>Invacare TDX Spree</b> (black or electric blue) (165 lbs) Width 12-16" (1" increments) Depth = 12-18" (1" increments)	YES	N/A	No G-trac Modue	6%	1-Sep-2009
<b>W561</b>	<b>Invacare Power Tiger - Rear Wheel</b> (blue or black) (150 lbs) Width 10-16" (1" increments) Depth = 10-16" (1" increments)	YES	N/A	No A+ Controller	6%	1-Sep-2009
<b>W803</b>	<b>Invacare Storm TDX-SC</b> (Wet Black or Electric Blue) (250 lbs) Width 16 - 20" (1" increments) Depth = 16 - 20" (1" increments)			No Seat Elevator	6%	3-Nov-2009
<b>W594</b>	<b>Pride Quatum /J8 Mid-Wheel</b> (blue or black) (300 lbs) Width = 10 - 20" (1" increments) Depth 10 - 20" (1" increments)	Yes	N/A		6%	27-Oct-2008
<b>W665</b>	<b>Permobil K300 PS Jr.</b> (Titan blue or Onyx black) 165 lbs Width 11-16" (1" increments) Depth = 10-18" (1" increments)	YES	N/A	For youth 14-17 years old Clinical Justification Required on 1251	6%	March-09
<b>W669</b>	<b>Sunrise Xperience</b> (black or pearl blue) (300 lbs) Width 10 - 16" (1" increments) Depth 10 - 16" (1" increments)	Yes	N/A	No Seat Elevator No Contour Back For youth 14-17 years old Clinical Justification Required on 1251	6%	1-Jan-2010
<b>W677</b>	<b>Sunrise Xplore</b> (Black or Pearl Blue) (300 lbs) Width 10 - 16" (1" increments) Depth 10 - 16" (1" increments)	YES	N/A	No Seat Elevator For youth 14-17 years old Clinical Justification Required on 1251 No Contour Back	6%	1-Jan-2010

AADL Program - Approved Products List - Wheelchairs 2010 - 2011

AADL CAT #	WHEELCHAIR DESCRIPTION	Child Eligibility	Adult Eligibility	Comments	Discount	Manufacture Date
<b>WHEELCHAIRS POWER - ADULT</b>						
<b>FRONT WHEEL DRIVE</b>						
<b>No Headarrays on Adult Power Wheelchairs</b>						
<b>W709</b>	<b>Pride Quantum HD 1650</b> (black or blue) (650 lbs) Width 20 - 32" (1" increments) Depth 18 - 28" (1" increments)	N/A	YES	Client must be at least 400 lbs	6%	
<b>MID-WHEEL or CENTRE WHEEL DRIVE</b>						
<b>W801</b>	<b>Invacare Storm TDX -SP Center Wheel</b> (black or blue) (300 lbs) Width 12 - 24" (1" increments) Depth 16" 17" 18" 20"	N/A	YES	Clinical Justification Required on 1251 for XL Package (400 lbs)	6%	3-Feb-2010
<b>W714</b>	<b>Invacare Pronto M94 Mid Wheel</b> (black or blue) (500 lbs) Width 18 - 24" (1" Increments) Depth 16 - 22" (1" increments)	N/A	YES		6%	1-Mar-2010
<b>W707</b>	<b>Invacare Pronto M91 Mid Wheel</b> (black or blue) (300 lbs) Width 16 - 24" (1" Increments) Depth 16 - 22" (1" increments)	N/A	YES		6%	1-Sep-2009
<b>W568</b>	<b>Permobil C300PS Mid Wheel</b> (Titan blue or Onyx black) (300 lbs) Width 16 - 22" (2" increments) Depth 16 - 22" (1" increments)	N/A	YES	Standard armrest pads only No Power legrests Available	6%	
<b>W805</b>	<b>Permobil C300 Corpus Seating</b> (Oynx Black or Crystal Blue) (300 lbs) Width 17 - 21" (2" increments) Depth 16 - 22" (2" increments)	N/A	YES	No Seat Elevator	6%	
<b>W592</b>	<b>Pride Quantum - 600</b> (blue or black) (300 lbs) Width 16 - 24" (1" increments) Depth 16 - 24" (1" increments)	N/A	YES	Clinical Justification Required on 1251 for XL Package (400 lbs)	6%	1-Mar-2011
<b>W659</b>	<b>Pride Quantum 6000Z</b> (blue or black) (300 lbs) Width 14 - 22" (1" increments) Depth 14 - 20" (1" increments) Heavy Duty Package	N/A	YES	No high speed motors Clinical Justification Required on 1251 for XL Package (400 lbs)	6%	
<b>W669</b>	<b>Sunrise Xperience</b> (black or pearl blue) (300 lbs) Width 15 - 20" (1" increments) Depth 15 - 20" (1" increments) <b>HD Pkg -</b> Width 19 - 24 (1" increments) Depth 19 - 22 (1" increments)	N/A	YES	Clinical Justification Required on 1251 for HD Package (400 lbs) No Contour Back	6%	1-Jan-2011
<b>W675</b>	<b>Sunrise 323</b> (black opal or midnight purple) (250 lbs) Width 16 - 20" (1" increments) Depth 16 - 20" (1" increments)	N/A	YES		6%	10-Feb-2009

**AADL Program - Approved Products List - Wheelchairs 2010 - 2011**

<b>AADL CAT #</b>	<b>WHEELCHAIR DESCRIPTION</b>	<b>Child Eligibility</b>	<b>Adult Eligibility</b>	<b>Comments</b>	<b>Discount</b>	<b>Manufacture Date</b>
<b>REAR WHEEL DRIVE</b>						
<b>W558</b>	<b>Invacare Arrow 3rd Generation</b> (17P blue or 24P black) (400 lbs) Width = 12-24" (1" increments) Depth = 12-22" (1" increments)	N/A	YES	No A+ Controller 4 pole motors only	6%	
<b>W663</b>	<b>Pride Quantum R 4000</b> (Viper blue or Onyx black) (300 lbs) Width 14 - 20" (1" increments) Depth 14 - 24" (1" increments)	N/A	YES			
<b>W667</b>	<b>Ranger Express</b> (Jet black or Dark blue) (400 lbs) Width 15 - 20" (1" increments) Depth 15 - 22" (1" increments) HD Pkg Width 21 - 24 (1" increments)	N/A	YES	Clinical Justification Required on 1251 for Heavy Duty Rehab Seat (400 lbs )	6%	
<b>W575</b>	<b>Sunrise Quickie P222 SE</b> (blue or black) (350 lbs) Width = 14-20, 22, 24" (1" increments) Depth = 14-20" (1" increments) Rigid Frame	N/A	YES		6%	1-Jan-11
<b>W579</b>	<b>Sunrise Quickie S646 SE</b> (Black / Blue) (400 lbs) Width 14 - 20" (1" increments) Depth 14 - 20" (1" increments)	N/A	YES		6%	1-Jan-11
<b>W677</b>	<b>Sunrise Xplore</b> (Black or Pearl Blue) (300 lbs) Width 15 - 20" (1" increments) Depth 15 - 22" (1" increments) HD Width 19 - 24" (1" increments) Depth 15 - 22" (1" increments)	N/A	YES	No Seat Elevator No Contour Back	6%	1-Jan-11
<b>POWER WHEELCHAIR BATTERIES</b>						
	<b>AADL approved for new power wheelchairs abd repair replacements</b>					
	<b>*Substitutes not allowed; gel only</b>					
	<b>MK Batteries</b>				4%	
	<b>Altas Batteries</b>				5%	